


Antivibration WAFFLE PADS

Antivibration Waffle Pads provide a simple and inexpensive way to isolate vibration, shock and reduce noise levels. The moulded waffle design allows for efficient deflection without loss of stability. They will provide maximum resiliance and a creep proof grip for the installation of common shop machinery and equipment.



PAD SELECTION

Calculate p.s.i. loading on machine feet and select appropriate pad. For machinery with larger channel frame bases, use only sufficient amount of pad pieces to provide support and keep pad within proper load range. Waffle pads are available in a selection of thickness, durometer and composition – Natural or Neoprene rubber. Neoprene is recommended where the pads are exposed to oil and solvents.

Available from stock:


5/16" X 18" X 18"

- 30 Duro Natural
- 50 Duro Neoprene

1/2" X 18" X 18"

- 30 Duro Natural
- 50 Duro Neoprene
- 70 Duro Neoprene
- 80 Duro Neoprene

LOAD DEFLECTION CURVES



SAMPLE — 1/2" X 4" X 4" PIECE COMPRESSED BETWEEN NON-ADHERED METAL SURFACES.

For complete application assistance contact direct,

WILREP LTD.

1515 Matheson Blvd. E., Unit C-10, Mississauga, Ontario, Canada L4W 2P5
 Tel. (905)625-8944 Fax (905)625-7142
 www.wilrep.com e-mail: wilrep@direct.com